

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Version 6.0

User Selection Criteria
<div><div>Handler ID: GAD000823096</div><div>Unit Detail: Current</div><div>Display Code Yes</div><div>Include Waste Codes: Yes</div></div>

Report Results
<div><div>Number of Handlers: 1</div><div>Number of Pages: 11</div></div>

Report Description
<p>This report lists all permitting data for facilities that meet the user selection criteria. Handlers with permit series information only are not included in this report. Unlinked Events are shown for each facility, as are Units that are not linked to either an Event or Unit Detail. The report is presented by Handler, Unit Detail, and Event and is sorted by Handler Name, Handler ID, Unit/Unit Detail Sequence Number, Event Best Date (descending), and Event Code.</p>

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Page 2

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

List of Handler Universe Abbreviations

Generator	Indicates that the facility is a Large Quantity Generator (LQG), Small Quantity Generator (SQG), Very Small Quantity Generator (VSQG), or Not a Generator (N).
Transporter	Indicates that the facility Transports waste subject to RCRA regulations. ('Y' indicates that the facility is in this universe).
Operating TSDF	Indicates that the facility is a Treatment, Storage or Disposal facility subject to any type of enforcement. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
IC / EC in Place	Indicates that the facility has Institutional Controls / Engineering Controls in place. ('Y' indicates that the facility is in the respective universe).
EL Indicator (HE/GW)	Indicates that the facility has controls in place for Environmental Indicators. HE - Human Exposures ('+' indicates the exposure exists and is under control; '-' indicates the exposure exists and is not under control; 'N' indicates the exposure does not exist)
Permit Progress	Indicates that the facility is part of the Permitting/Closure/Post-Closure Progress universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
Permit Workload	Indicates that the facility is part of the Permit Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
Closure Workload	Indicates that the facility is part of the Closure Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
Post-Closure Workload	Indicates that the facility is part of the Post-Closure Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
Renewals Workload	Indicates that the facility is part of the Permit Renewals Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
GPRA Permits	Indicates that the facility is part of the GPRA Permit universe. ('+' indicates that the facility is on the GPRA Permit Baseline and meeting the goal; '-' indicates that the facility is on the GPRA Permit Baseline and not meeting the goal; 'N' indicates that the facility is not on the GPRA Permit Baseline)
GPRA Renewals	Indicates that the facility is part of the GPRA Renewals universe. ('+' indicates that the facility is on the GPRA Renewals Baseline and meeting the goal; '-' indicates that the facility is on the GPRA Renewals Baseline and not meeting the goal; 'N' indicates that the facility is not on the GPRA Renewals Baseline)
Subject to CA	Indicates that the facility is part of the Subject to Corrective Action universe. ('Y' indicates that the facility is in this universe)
Subj CA TSD 3004	Indicates that the facility is a Treatment, Storage or Disposal facility Potentially Subject to Corrective Action Under 3004(u)/(v). ('Y' indicates that the facility is in this universe)
Subj CA TSD Discr	Indicates that the facility is a Treatment, Storage or Disposal facility Subject to Corrective Action Under Discretionary Authorities. ('Y' indicates that the facility is in this universe)
Subj CA Non-TSD	Indicates that the facility is a Non-Treatment, Storage or Disposal facility where Corrective Action has been imposed. ('Y' - the facility is in this universe)
CA Workload	Indicates that the facility is part of the Corrective Action Workload universe. ('Y' - the facility is in this universe)
GPRA CA 2020	Indicates that the facility is part of the GPRA Corrective Action universe ('Y' - the facility is in this universe)

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Page 3

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

Process Codes			
Code	Description	Code	Description
D79	UNDERGROUND INJECTION WELL DISPOSAL	D80	LANDFILL
D81	LAND APPLICATION	D82	OCEAN DISPOSAL
D83	SURFACE IMPOUNDMENT DISPOSAL	D99	OTHER DISPOSAL
S01	CONTAINER	S02	TANK STORAGE
S03	WASTE PILE	S04	SURFACE IMPOUNDMENT STORAGE
S05	DRIP PAD	S06	CONTAINMENT BUILDING - STORAGE
S99	OTHER STORAGE	SWM	SOLID WASTE MANAGEMENT UNIT
T01	TANK TREATMENT	T02	SURFACE IMPOUNDMENT TREATMENT
T03	INCINERATOR	T04	OTHER TREATMENT
T80	BOILER	T81	CEMENT KILN
T82	LIME KILN	T83	AGGREGATE KILN
T84	PHOSPHATE KILN	T85	COKE OVEN
T86	BLAST FURNACE	T87	SMELTING, MELTING OR REFINING FURNACE
T88	TITANIUM DIOXIDE CHLORIDE OXIDATION REACTOR	T89	METHANE REFORMING FURNACE
T90	PULPING LIQUOR RECOVERY FURNACE	T91	COMBUSTION DEVICE IN RECOVERY OF SULFUR FROM ACID
T92	HALOGEN ACID FURNACES	T93	OTHER INDUSTRIAL FURNACES
T94	CONTAINMENT BUILDING - TREATMENT	TRN	TRANSPORTER
X01	OPEN BURNING/OPEN DETONATION	X02	MECHANICAL PROCESSING
X03	THERMAL UNIT	X04	GEOLOGIC REPOSITORY
X99	OTHER SUBPART X		

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Page 4

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

Legal Codes		Operating Codes	
Code	Description	Code	Description
DL	DELISTED	AB	ABANDONED
EM	EMERGENCY PERMIT	AE	UNDER ALTERNATE ENFORCEABLE DOC FOR PC CARE
IS	INTERIM STATUS	BC	BEFORE CONSTRUCTION
IT	INTERIM STATUS TERMINATED	CA	REFERRED TO CORRECTIVE ACTION FOR CLOSURE
LI	LOSS OF INTERIM STATUS	CC	CLEAN CLOSED
LP	LOSS OF PRE-MOD AUTHORIZATION	CL	CLOSED BY CHANGING PROCESS TO < 90-DAY STORAGE
NN	NON-NOTIFIER/ILLEGAL	CL	CLOSED BY CHANGING PROCESS TO LESS THAN 90-DAY STORAGE
NR	NEVER REGULATED AS A TSD	CN	CONSTRUCTED, NOT YET MANAGING HAZARDOUS WASTE
PC	POST-CLOSURE PERMITTED	CO	COMPLETED POST-CLOSURE CARE
PI	PERMITTED	CP	CLOSED WITH WASTE IN PLACE
PM	PRE-MOD AUTHORIZATION	CR	CONDUCTING ACTIVITIES NOT REQUIRING A PERMIT
PR	PROPOSED	CV	CONVERTED BUT NOT RCRA CLOSED
PT	PERMIT TERMINATED/PERMIT EXPIRED, NOT CONTINUED	DC	DELAY OF CLOSURE
RD	RESEARCH, DEVELOPMENT, AND DEMONSTRATION PERMIT	IN	INACTIVE/CLOSING, BUT NOT YET RCRA CLOSED
RP	REMEDIAL ACTION PLAN	NE	NEWLY TRANSFERRED
RQ	REQUESTED BUT NOT APPROVED	NO	NO LONGER REGULATED
RU	PERMIT-BY-RULE	OP	OPERATING, ACTIVELY MANAGING RCRA-REGULATED WASTE
SR	STATE REGULATED	PF	PROTECTIVE FILER
TA	TEMPORARY AUTHORIZATION	SF	REFERRED TO CERCLA
TR	TRANSFER OF OWNERSHIP	UC	UNDER CONSTRUCTION

Comprehensive Permitting Report

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

SAFETY-KLEEN SYSTEMS INC - COLUMBUS

County Name/Code: MUSCOGEE / GA215

GAD000823096

Location 5920 COCA COLA BLVD, COLUMBUS, GA 31909
Latitude: 32.529319 **Longitude** -84.887123

Mailing: 1502 EAST VILLA ST 2ND FLOOR, ELGIN, IL 60120

Region: 04

Activity GA		State District: MTZ		Non-		Extract Flag: Y		Active Site: N	
Generator:	N	Transporter:	N	Operating TSDF:	-----	IC/EC In Place:	N / N	EI Indicator (HE / GW):	+ / +
Permit Progress:	---S-H	Post-Closure	-----	Subject to CA:	N	Subj CA Non-TSD:	Y	GPRA CA 2020:	Y
Permit Workload:	-----	Renewals Workload:	-----	Subj CA TSD 3004:	N	CA Workload:	N	GPRA Permit:	N
Closure Workload:	-----			Subj CA TSD Discr:	N			GPRA Renewals:	+

Unit Name	Seq.	Process Code	Legal/Op. Status	# Units	Capacity	UOM	Capacity Type	Standard Permit	Effective Date
ANTIFREEZE TANK	4-2	S02	PTPF	1	20,000	Gal		N	12/20/1996
Commercial Status: Does not accept waste from off-site generators									
Notes: REMOVED UNUSED TANK FROM PERMIT APPLICATION									
Waste Codes: No Waste Codes found									

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
Not Linked to a Modification (OP230) Event	1	HQ - OP010 - PART B CALL-IN	STATE	09/26/1997	
	Notes: PART B APPLICATION CALL LETTER				
	8	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION	STATE	08/25/1997	
	Notes: CLASS 1 MOD - INFORMATIONAL CHANGES				
	9	GA - MO242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT	STATE	12/20/1996	
	Notes: CLOSURE OF 20,000 ANTFREEZE TANK				
	11	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION	STATE	12/20/1996	
	Notes: CLOSURE OF 20,000 ANTIFREEZE TANK				
	11	HQ - OP23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED	STATE	11/25/1996	
	Notes: CLOSURE OF 20000GAL ANTIFREEZE TANK				
	7	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION	STATE	03/25/1996	
	Notes: CLOSURE OF 20,0000 GAL ANTIFREEZE TANK				
	8	GA - MO242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT	STATE	02/07/1996	
	Notes: CONTINGENCY PLAN AND ADD 30 GAL. CONTAINERS				
	10	HQ - OP23110 - CLASS DETERMINATION-CLASS 1 MOD,NO PRIOR APPROVAL REQUIRED	STATE	02/07/1996	
	Notes: CONTINGECY PLAN AD ADD 30 GAL CONTAINERS				

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Page 6

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

SAFETY-KLEEN SYSTEMS INC - COLUMBUS - (continued)					GAD000823096
Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
Not Linked to a Modification (OP230) Event	10	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION Notes: CONTINGENCY PLAN AND ADD 30 GAL. CONTAINERS	STATE	02/07/1996	
	7	GA - MO242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT Notes: CONTINGENCY PLAN	STATE	01/26/1996	
	9	HQ - OP23110 - CLASS DETERMINATION-CLASS 1 MOD,NO PRIOR APPROVAL REQUIRED Notes: CONTINGENCY PLAN	STATE	01/26/1996	
Not Linked to a Modification (OP230) Event	9	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION Notes: CONTINGENCY PLAN	STATE	01/26/1996	
	6	GA - MO242 - SIGNIFICANCE DETERMINATION Notes: CONTINGENCY DETERMINATION	STATE	11/27/1995	
	5	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: CONTINGENCY PLAN	STATE	11/27/1995	
	6	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: CONTINGENCY PLAN	STATE	11/27/1995	
	8	HQ - OP23110 - CLASS DETERMINATION-CLASS 1 MOD,NO PRIOR APPROVAL REQUIRED Notes: CONTINGENCY PLAN	STATE	11/27/1995	
Not Linked to a Modification (OP230) Event	8	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION Notes: CONTINGENCY PLAN	STATE	11/27/1995	
	4	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: CONTINGENCY PLAN AND ADD 30 GAL CONTAINERS	STATE	11/10/1995	
	5	GA - MO242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT Notes: CLASS 1 NOT SIGNIFICANT	STATE	09/06/1995	
	7	HQ - OP23110 - CLASS DETERMINATION-CLASS 1 MOD,NO PRIOR APPROVAL REQUIRED Notes: CLASS 1 MOD	STATE	09/06/1995	
Not Linked to a Modification (OP230) Event	7	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION	STATE	09/06/1995	
	16	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: CHANGES TO THE CONTINGENCY PLAN EMERGENCY CONTACT LIST	STATE	08/21/1995	
Not Linked to a Modification (OP230) Event	5	HQ - OP240CA - MODIFICATION APPROVED-CORRECTIVE ACTION	STATE	09/29/1994	

Quick report

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Page 7

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

SAFETY-KLEEN SYSTEMS INC - COLUMBUS - (continued)					GAD000823096
Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
Not Linked to a Modification (OP230) Event	6	HQ - OP240CA - MODIFICATION APPROVED-CORRECTIVE ACTION Notes: CORRECTIVE ACTION FOR MODIFICATION FOR SOIL CLEAN UP	STATE	08/28/1994	
	3	GA - MO242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT Notes: SIGNIFICANCE DETERMINATION	STATE	08/25/1994	
	3	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: CLASS 1 MODIFICATION	STATE	08/25/1994	
Not Linked to a Modification (OP230) Event	4	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION Notes: MOD APPROVED	STATE	08/25/1994	
	4	GA - MO242SI - SIGNIFICANCE DETERMINATION-SIGNIFICANT	STATE	08/10/1994	
	6	HQ - OP231AI - CLASS DETERMINATION-AGENCY INITIATED MOD Notes: AGENCY INITIATED MOD	STATE	08/10/1994	
	4	HQ - OP235 - PERMIT MODIFICATION DETERMINED COMPLETE AND TECHNICALLY ADEQUATE Notes: DETERMINED TO BE COMPLETE	STATE	08/10/1994	
	3	HQ - OP236AP - PERMIT MODIFICATION PUBLIC NOTICE - INTENT TO APPROVE Notes: PUBLIC NOTICE	STATE	08/10/1994	
	15	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: TO CHANGE THE EMERGENCY CONTRACTOR AND PHONE NUMBER	STATE	07/18/1994	
	1	HQ - OP001PB - PART A RECEIVED-SUBMITTED WITH A PART B OR MOD REQUEST	STATE	06/25/1994	06/25/1994
	8	HQ - OP230CA - MODIFICATION REQUESTED-CORRECTIVE ACTION Notes: TO MODIFY FOR CORRECTIVE ACTION OF SOILS	STATE	06/03/1994	
	2	GA - MO242 - SIGNIFICANCE DETERMINATION	STATE	01/11/1994	
	14	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION	STATE	01/11/1994	
	5	HQ - OP23110 - CLASS DETERMINATION-CLASS 1 MOD,NO PRIOR APPROVAL REQUIRED	STATE	01/11/1994	
	3	HQ - OP235 - PERMIT MODIFICATION DETERMINED COMPLETE AND TECHNICALLY ADEQUATE	STATE	01/11/1994	
Not Linked to a Modification (OP230) Event	3	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION	STATE	01/11/1994	
	2	HQ - OP245 - MODIFICATION DENIED Notes: CONTINGENCY PLAN CHANGE DENIED	STATE	12/21/1993	

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Page 8

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

SAFETY-KLEEN SYSTEMS INC - COLUMBUS - (continued)					GAD000823096
Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
Not Linked to a Modification (OP230) Event	1	GA - MO242SI - SIGNIFICANCE DETERMINATION-SIGNIFICANT Notes: TCLP MOD	STATE	10/28/1993	
	1	HQ - OP240AC - MODIFICATION APPROVED-ADDITIONAL CAPACITY Notes: TCLP MOD	STATE	10/28/1993	
	3	HQ - OP23120 - CLASS DETERMINATION-CLASS 2 MOD Notes: CONTINGENCY PLAN CHANGE	STATE	10/25/1993	
	1	HQ - OP237PM - PERMIT MODIFICATION PUBLIC MEETING Notes: ADDITIONAL CAPACITY MOD	STATE	10/19/1993	
	2	HQ - OP235 - PERMIT MODIFICATION DETERMINED COMPLETE AND TECHNICALLY ADEQUATE Notes: TCLP MOD	STATE	09/09/1993	
	1	HQ - OP236AP - PERMIT MODIFICATION PUBLIC NOTICE - INTENT TO APPROVE Notes: TCLP MOD	STATE	09/09/1993	
	13	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: CHANGE IN CONTINGENCY PLAN	STATE	07/16/1993	
	1	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: TCLP MOD	STATE	07/05/1993	
	1	HQ - OP233 - REVISED PERMIT MODIFICATION RECEIVED Notes: TCLP MOD	STATE	07/05/1993	
	11	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: PART A APPLICATION REVISION	STATE	06/24/1993	
	1	HQ - OP23110 - CLASS DETERMINATION-CLASS 1 MOD,NO PRIOR APPROVAL REQUIRED Notes: PART A APPLICATION	STATE	06/24/1993	
	1	HQ - OP235 - PERMIT MODIFICATION DETERMINED COMPLETE AND TECHNICALLY ADEQUATE Notes: PART A APPLICATION	STATE	06/24/1993	
	1	HQ - OP232 - MODIFICATION NOTICE OF DEFICIENCY Notes: TCLP MOD	STATE	05/05/1993	
	4	HQ - OP23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED	STATE	04/09/1991	

Quick report

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Page 9

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

SAFETY-KLEEN SYSTEMS INC - COLUMBUS - (continued) GAD000823096

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
	2	HQ - OP236AP - PERMIT MODIFICATION PUBLIC NOTICE - INTENT TO APPROVE	STATE	04/08/1991	
	2	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION	STATE	02/19/1991	
	12	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: ADDITIONAL CAPACITY MOD	STATE	09/24/1990	
	2	HQ - OP23130 - CLASS DETERMINATION-CLASS 3 MOD Notes: TCLP MOD	STATE	09/24/1990	

Unit Name	Seq.	Process Code	Legal/Op. Status	# Units	Capacity	UOM	Capacity Type	Standard Permit	Effective Date
CLOSTANK	1-1	S02	ITCC	1	15,000	Gal		N	06/26/1989
Commercial Status: Does not accept waste from off-site generators									
Waste Codes: No Waste Codes found									

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
	10	GA - MO242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT Notes: NOT SIGNIFICANT	STATE	09/08/1997	
	12	HQ - OP23110 - CLASS DETERMINATION-CLASS 1 MOD,NO PRIOR APPROVAL REQUIRED Notes: CLASS 1 MOD DETERMINED	STATE	09/08/1997	
Not Linked to a Modification (OP230) Event	12	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION Notes: UPDATE ADDRESSES/CLARIFY WORDING REGARDING TRANSFER WASTES	STATE	09/08/1997	
	8	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION Notes: CLASS 1 MOD - INFORMATIONAL CHANGES	STATE	08/25/1997	
	9	GA - MO242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT Notes: CLOSURE OF 20,000 ANTFREEZE TANK	STATE	12/20/1996	
Not Linked to a Modification (OP230) Event	11	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION Notes: CLOSURE OF 20,000 ANTIFREEZE TANK	STATE	12/20/1996	
	11	HQ - OP23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED Notes: CLOSURE OF 20000GAL ANTIFREEZE TANK	STATE	11/25/1996	
	1	HQ - CL330 - REVISIONS RECEIVED - CLOSURE	STATE	12/20/1989	
	1	HQ - CL310 - PLAN RECEIVED - CLOSURE	STATE	06/26/1989	

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Page 10

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

SAFETY-KLEEN SYSTEMS INC - COLUMBUS - (continued) GAD000823096

Unit Name	Seq.	Process Code	Legal/Op. Status	# Units	Capacity	UOM	Capacity Type	Standard Permit	Effective Date
CONTSTOR	2-5	S01	PTCC	2	3,482	Gal		N	08/17/2011

Commercial Status: Does not accept waste from off-site generators

Waste Codes: No Waste Codes found

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
	2	HQ - CL370 - RECEIVE CLOSURE CERTIFICATION	STATE	08/17/2011	
	1	HQ - CL380CA - CLOSURE VERIFICATION-CLEAN CLOSURE ACCEPTABLE	STATE	02/03/2011	
	1	HQ - CL380CU - CLOSURE VERIFICATION-CLEAN CLOSURE UNACCEPTABLE	STATE	08/13/2009	

Unit Name	Seq.	Process Code	Legal/Op. Status	# Units	Capacity	UOM	Capacity Type	Standard Permit	Effective Date
MIN SPIRIT TANK	3-4	S02	PTCC	1	15,000	Gal		N	08/17/2011

Commercial Status: Does not accept waste from off-site generators

Waste Codes: No Waste Codes found

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
	2	HQ - CL370 - RECEIVE CLOSURE CERTIFICATION	STATE	08/17/2011	
	1	HQ - CL380CA - CLOSURE VERIFICATION-CLEAN CLOSURE ACCEPTABLE	STATE	02/03/2011	
	1	HQ - CL380CU - CLOSURE VERIFICATION-CLEAN CLOSURE UNACCEPTABLE	STATE	08/13/2009	

Unit Name	Seq.	Process Code	Legal/Op. Status	# Units	Capacity	UOM	Capacity Type	Standard Permit	Effective Date
RETURN & FILL DOCK	5-4	S01	PTCC	1	8,700	Gal		N	08/17/2011

Commercial Status: Does not accept waste from off-site generators

Waste Codes: No Waste Codes found

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
	2	HQ - CL370 - RECEIVE CLOSURE CERTIFICATION	STATE	08/17/2011	
	1	HQ - CL380CA - CLOSURE VERIFICATION-CLEAN CLOSURE ACCEPTABLE	STATE	02/03/2011	
	1	HQ - CL380CU - CLOSURE VERIFICATION-CLEAN CLOSURE UNACCEPTABLE	STATE	08/13/2009	

Comprehensive Permitting Report

Report run on: September 15, 2022 10:04:47 AM EDT

Page 11

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

SAFETY-KLEEN SYSTEMS INC - COLUMBUS - (continued)

GAD000823096

Unit Name	Seq.	Process Code	Legal/Op. Status	# Units	Capacity	UOM	Capacity Type	Standard Permit	Effective Date
SWMUS ONLY	7-4	SWM	PTCC	1	0	SWM		N	01/16/2018

Commercial Status: Does not accept waste from off-site generators

Waste Codes: No Waste Codes found

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
Not Linked to a Modification (OP230) Event	1	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION	STATE	02/07/2018	
		Notes: NFA FOR SOIL AND GROUNDWATER - NO CONTROLS NECESSARY			
	1	HQ - OP260 - PERMIT TERMINATION	STATE	02/07/2018	
	1	HQ - OP235 - PERMIT MODIFICATION DETERMINED COMPLETE AND TECHNICALLY ADEQUATE	STATE	01/29/2018	
	1	HQ - OP23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED	STATE	01/16/2018	
	1	HQ - OP230OH - MODIFICATION REQUESTED-OTHER MODIFICATION	STATE	01/06/2018	

Unit Name	Seq.	Process Code	Legal/Op. Status	# Units	Capacity	UOM	Capacity Type	Standard Permit	Effective Date
TANKSTOR	6-4	S02	PTCC	1	15,000	Gal		N	08/17/2011

Commercial Status: Does not accept waste from off-site generators

Waste Codes: No Waste Codes found

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
	2	HQ - CL370 - RECEIVE CLOSURE CERTIFICATION	STATE	08/17/2011	
	1	HQ - CL380CA - CLOSURE VERIFICATION-CLEAN CLOSURE ACCEPTABLE	STATE	02/03/2011	
	1	HQ - CL380CU - CLOSURE VERIFICATION-CLEAN CLOSURE UNACCEPTABLE	STATE	08/13/2009	

Unlinked Units - Seq. and Name Unit Detail Sequence Numbers

No Unlinked Units

Unlinked Events	Event Seq. and Description	Resp. Agency	Actual Date	Schedule Date
Series: CLOSURE Seq: 2	1 HQ-OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION	EPA	09/24/1990	
TCCLI D018-D043				

End of Report